PUBLIC NOTICE

Notice to Water Users

(Pursuant to Section 85-2-307, MCA)

The following application has been submitted to change a water right in the State of Montana.

THE DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION PROPOSES TO GRANT AN APPLICATION TO CHANGE A WATER RIGHT. DESCRIBED BELOW ARE THE PERTINENT FACTS WHICH SUMMARIZE THE APPLICATION. THE PRELIMINARY DETERMINATION (PD) DOCUMENTING THE FINDINGS OF FACT AND CONCLUSIONS OF LAW AND ANY CONDITIONS ATTACHED TO THE WATER RIGHT ARE AVAILABLE ON THE INTERNET AT http://www.dnrc.mt.gov/wrd/.

OBJECTION DEADLINE: FEBRUARY 26, 2021. THE DEPARTMENT CAN ONLY ACCEPT OBJECTIONS FILED ON AN OBJECTION TO APPLICATION, FORM 611. MAIL THE COMPLETED FORM AND THE \$25.00 FILING FEE TO THE DNRC, PO BOX 201601, HELENA, MT 59620-1601 BY THE DEADLINE SPECIFIED. THE FORM IS AVAILABLE ON THE DEPARTMENT'S WEBSITE.

DIRECT ANY QUESTIONS PERTAINING TO THE APPLICATION, TO OBTAIN THE PD OR OBJECTION FORM TO THE WATER RESOURCES OFFICE AT 655 TIMBERWOLF PARKWAY, SUITE 4, KALISPELL, MT 59901-2387 FAX: 406-752-2843 PHONE: 406-752-2288.

Priority Data

Water Dight Number

Application Number: 76LJ 30149103

Water Bight Type

Applicant: LAKESIDE COUNTY WATER AND SEWER DISTRICT

253 BIERNEY CREEK RD LAKESIDE, MT 59922

WATER RIGHT NUMBER(S) BEING CHANGED

<u>Water Right Type</u>		Water Right Number		Priority Date	
	GROUND WATER CERTIFICATE	76L	J 9256-00	AUGUS	Т 20, 1976
	Historical Flow Rate: 40. GPM		Historical Consumptive	Volume:	0.46 AC-FT
			Historical Diverted Volu	me:	1.10 AC-FT
	PROVISIONAL PERMIT	76L	J 61905-00	NOVEM	BER 18, 1985
	Historical Flow Rate: 100. GPM		Historical Consumptive	Volume:	38.06 AC-FT
			Historical Diverted Volu	me:	42.67 AC-FT
	PROVISIONAL PERMIT	76L	J 103956-00	FEBRUA	ARY 26, 1998
	PROVISIONAL PERMIT	76L	J 105373-00	SEPTEN	/IBER 9, 1998
	STATEMENT OF CLAIM	76L	J 129006-00	MARCH	22, 1982
	Historical Flow Rate: 60. GPM		Historical Consumptive	Volume:	0.91 AC-FT
			Historical Diverted Volu	me:	2.20 AC-FT
	STATEMENT OF CLAIM	76L	J 129007-00	JULY 30	, 1957
	Historical Flow Rate: 65. GPM		Historical Consumptive	Volume:	4.55 AC-FT
			Historical Diverted Volu	me:	12.15 AC-FT
	PROVISIONAL PERMIT	76L	J 30062687	AUGUS ⁻	Т 31, 2012
	PROVISIONAL PERMIT	76L	J 30147909	JUNE 11	I, 2020

PAST USE OF WATER

MUNICIPAL USE OF GROUNDWATER (5 MANIFOLD WELLS, 1 REDUNDANT YET TO BE DRILLED) IN SECTION 13 AND 12 OF T26N, R21W AND SECTION 7, 17, AND 18 OF T26N, R20W FLATHEAD COUNTY

PROPOSED CHANGE

THE APPLICANT PROPOSES TO CHANGE THE PLACE OF USE OF SEVEN WATER RIGHTS, ASSOCIATED WITH 5 EXISTING WELLS AND 1 REDUNDANT WELL YET TO BE DRILLED, TO REFLECT CURRENT DISTRICT BOUNDARIES AS OF MAY 15, 2020. THE APPLICANT PROPOSES TO ADD THREE POINTS OF DIVERSION (BRASS WELL GWIC NO. 79812, LAKESIDE ESTATES WELL GWIC NO. 156694, AND ONE YET TO BE DRILLED) TO UNPERFECTED PERMIT 76LJ 30147909.

ADDITIONAL INFORMATION

FLATHEAD COUNTY AUTHORIZED TWO ANNEXATIONS INTO THE DISTRICT MAY 2020. THE CHANGED PLACE OF USE REFLECTS THE NEW BOUNDARIES BASED ON THE ANNEXATIONS.

PERMIT 76LJ 30147909 WAS GRANTED FOR ADDITIONAL FLOW, BUT NO VOLUME FROM TROUTBECK RISE WELL GWIC NO. 79933 (11 GPM ADDITIONAL FLOW), HALL WELL GWIC NO. 79859 (95 GPM ADDITIONAL FLOW) AND TANK WELL GWIC NO. 160594 (40 GPM ADDITIONAL FLOW). THE APPLICANT IS REQUESTING TO ADD THE THREE ADDITIONAL SYSTEM WELLS TO THE PERMIT, SO THE WATER RIGHT REFLECTS THE MANIFOLD SYSTEM. THIS

January 5, 2021 76LJ 30149103 Page 2 of 2 Public Notice 606 Application

WATER RIGHT IS CURRENTLY AT PUBLIC NOTICE. IF THE PERMIT FOR SOME REASON CAN NOT BE ISSUED THIS CHANGE AUTHORIZATION WILL BE MODIFIED; THE PERMIT WILL BE REMOVED FROM THE CHANGE AUTHORIZATION.

PUBLISHED IN: DAILY INTER LAKE ON JANUARY 13, 2021.